



Nastavljamo priču iz prošlo<u>g članka</u> [1]. Za razliku od nekadašnjeg formata *mail* arhive, novi *.pst* format ima druga pravila pri prebacivanju u npr. *Thunderbird*. Sam *Thunderbird* klijent ne može prepoznati i uvesti arhivske *.pst Outlook* datoteke kao nekad *.dbx* zapis koji je koristio *Outlook Express*. To nam je ranije olakšavalo prebacivanje sa zastarjelog *Outlook Express* klijenta u npr. *Thunderbird*.

| 🗄 Get Messages 👻 🗹 Write | 👻 🏴 Chat 🙎 | Address Book Tag * T Quick Filter Search <ctrl+k></ctrl+k> | P ≡ | Events |
|--------------------------|------------|---|-----|---------------------------|
| 🗈 Blogs & News Feeds | Thund | whind | | 20 Tue 1 0 Dec 2016 CW |
| Trash | Thunde | abird | | Fail New Event |
| Trach | Innet | - <u>-</u> | 1 | L. Teday |
| Outbox | Import | ~~ × | | > Tomorrow |
| Consta | | Please select the type of file that you would like to import: | | > Upcoming (5 days) |
| | | Eudora | | |
| | | Outlook | | |
| | | Outlook Express | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | Outlook Express mail, address books, and settings | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | < Back Next > Cancel | | |
| | | | | |
| | | | | |

Radi toga moramo koristiti dodatni konverter. Pronašli smo <u>MailStore Home Portable</u> [2] softver. On nam jednostavnim odabirom Archive E-mail --> Microsoft Outlook --> dohvati arhivske .pst datoteke sa vanjskog diska i uveze kroz Wizard koji stvori Outlook profil.



Sa MailStore Home 10 - MailStore Home

| MailStore Home 10 - MailStore Home | | - | | × |
|---|--|--------|-------|-----|
| Archive | chive E-mail | | | - 2 |
| Archive Search Archive Search Quick Search Archive Search My Archive Search E-mail Archive E-mail Recent Results Administrative Tools About MailStore Home | Chive E-mail Archiving tasks are saved as profiles. Deleting profiles has no effect on emails that have already been and Trademarks Create Profile E-mail Account E-mail Clents In order to archive your webmail account, please start by entering your e-mail address: @ Microsoft Outlook @ Microsoft Outlook @ Microsoft Outlook @ Microsoft Ou | hived. | | * |
| | | | | |
| | | | 12-11 | |



🛃 MailStore Home 10 - MailStore Home

| Archive | | Archive E-mail | | | | | | |
|----------------------|-------------|---|-----------|--|--|--|--|--|
| Quick Search Archive | Search | | CI 1 (C 1 | | | | | |
| 🐼 Start Page | MailStore H | Home | × | | | | | |
| My Archive | | | | | | | | |
| Search E-mail | 0 1 | Archive Microsoft Outlook | _ | | | | | |
| Archive E-mail | | Settings | | | | | | |
| Export E-mail | | Please configure access to Microsoft Outlook. | | | | | | |
| Administrative Tools | | | loc | | | | | |
| About MailStore Home | | O Archive E-mail Stored in your Local Outlook | M | | | | | |
| | | Outlook Profile: | er er | | | | | |
| | | | nk | | | | | |
| | | Archive E-mail Stored in a PST File | | | | | | |
| | | File Name: | | | | | | |
| | | Password, if needed: | | | | | | |
| | | 2º | | | | | | |
| | | | ſ | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | Cancel < Back Next > | Help | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



Published on sys.portal (https://sysportal.carnet.hr.)



Copyright @2003.-2017. CARNet. Sva prava pridržana. Mail to portal-team(at)CARNet.hr



 \sim

Nakon uvoza archive.pst i Outlook.pst imamo stvorene 2 arhive sa 2 pripadajuća profila.

MailStore Home 10 - MailStore Home

| | | | | | u ^ |
|--|------------|--|--|---|---|
| Archive | Archive E- | -mail | _ | _ | 2 |
| Quick Search Anchive Sear Start Page My Archive D Cutlook Archive Folders D Cutlook Personal Folders D Search E-mail Archive E-mail Export E-mail | 6 J | Archiving tasks are saved as profiles <u>Trademarks</u> Create Profile E-mail Account In order to archive your webmail acc please start by entering your e-mail webmain: | E-mail Clount, | io effect on emails lients osoft Outlook dows Mail | that have already been archived. E-mail Files C EML and MSG Files |
| Recent Results Administrative Tools About MaiStore Home | | example () company.com Start Advance Profiles | ed • 🔮 Moz | dows Live Mail illa Thunderbird illa SeaMorikey | MBCIX File |
| | | Profile Name | Last Execution 20.12.2016. 13:22 20.12.2016. 13:53 | Last Result Succeeded Succeeded | Microsoft Outbook (2) Summary F:\Outbook\archive.pst All e-mail folders. Deleted Items, Drafts, Junk E-mail and Outbox excluded. Properties Commands Current Status Not running Run |
| | | | | | Last Execution Succeeded today at 13:53 Details All Results DESKTOP-39H0TUU |

Za slijedeći korak uvoza arhiva u *Thunderbird* obavezno je napraviti korisnički profil koji za testiranje bez e-mail *accounta* može biti *Newsgroups* . Bitno je da *Thunderbird* stvori korisnički direktorij. Koristili smo *Thunderbird* verzije 45.5.1.



| 🖂 Er | nail 🔄 Chat 🖂 Newsgroups 🔝 Feeds |
|-------|--|
| Creat | te a new calendar |
| | System Integration X |
| | Use Thunderbird as the default client for: |
| | Newsgroups Feeds |
| | Always perform this check when starting Thunderbird Set as Default Skip Integration |
| | |
| | |
| | |

Desnim klikom napravimo uvoz Outlook arhiva na Thunderbird klijent.



Published on sys.portal (https://sysportal.carnet.hr.)



Uvezene poruke nalazimo u našem klijentu.



Published on sys.portal (https://sysportal.carnet.hr.)

| Sent Items | 🚓 A | dd-ons Manager | × | | | | Ē | | - 1 | | × |
|--------------------------------------|--------------|--------------------------------|--------------------------|------------------------------|---|-----------------|--------|-----------------|----------------|---------------|---------|
| <u>File Edit View Go M</u> essage Ev | vents and Ta | sks <u>T</u> ools <u>H</u> elp | | | | | | | | | |
| 📩 Get Messages 👻 😰 Write 👻 | 🗭 Chat | L Address Book | ⊕ Tag ~ ▼ Quick Filter | Search <ctrl+k></ctrl+k> | | ٩ | ≡ | Events | | • • | × |
| VE Blogs & News Feeds | ♠ ⊷ | * & • 0 | Filter the | e messages «Ctrl+Shift+K» | | | ٩ | 21 | Wed Dec 201 | • o 6 cw : | • 51 |
| V Local Folders | ì 🖈 🖻 | Subject | 80 | From | ú | Date | ~ CŞ | 🗄 Nei | w Event | | |
| Trash | | inf | | ALCON | | 28.4.2016. 12:1 | 2 ^ | ✓ Toda | IV. | | _ |
| (a) Outbox | 20 | int | | ALCON | | 28.4.2016. 12:2 | 3 | > Tom | orrow | | |
| V MailStore Export | 20 | FV | | ALCON CONCERNS | | 28.4.2016. 12:5 | 6 | > Upc | oming (5 e | days) | |
| Outlook Archive Folders | | ulj | | Section (Television) | | 29.4.2016. 7:24 | | | | | |
| Sent Items | | Re | | ALCON TRACTOR | | 29.4.2016. 7:26 | | | | | |
| V Outlook Personal Folders | | EV. | edna • | ALCON | | 29.4.2016. 9:18 | | | | | |
| Inbox | 20 | FV | | and the second second second | | 29.4.2016. 9:21 | - 1 | | | | |
| Sent Items | | Re | | Section - Theory States | | 29.4.2016. 12:5 | 0 | | | | |
| | | | | | | | | | | | |
| Thunderbird now contains calen | daring funct | tionality by integrating t | the Lightning extension. | | | Learn mor | • | <u>D</u> isable | K | eep | × |
| 2 | _ | | | | | Unread: 0 | Total: | 3033 | 团 Today | Pane 🛰 | 1 |

Za potrebe "rudarenja" e-mail adresa u obliku *Thunderbird* ekstenzije pronašli smo <u>EmailCrawler</u> [3] 5.1.2. Unosimo ga ručnim putem *Tools -> Add-ons-> Install Add-on From File.. ->* emailcrawler-5.1.2.xpi jer ga nema u standardnom *Get Add-Ons* sustavu.

Prije nego počnemo pretraživati e-mail adrese stvorimo 2 adresara po kriteriju "Od" i "Za". Imenujemo ih *FROM* i *TO*.

File-> New -> Addres Book.. -> New Address Book -> Address Book Name -> FROM File-> New -> Addres Book.. -> New Address Book -> Address Book Name -> TO

Napokon možemo pristupiti prikupljanju adresa. Desnim klikom na ciljanu arhivu potražimo u ponudi opciju *Crawl folder for email addresses* te po odabranom kriteriju napravimo spremanje u traženi adresar.



| Sent Items | | * | Add-ons Ma | inager 🗙 | | | | | 7 | | | × |
|---------------------------|--|---------------------------|--------------|------------------------|-------------------|---|---|--------------------------------------|--------|-----------------|-------------------|----------------|
| Eile Edit View Go | Message Er Write ▼ | vents and Ta | asks Ipols | Help ess Book 9 Tag | T Quick Filt | r Search «Ctrl+K» | | م | ≡ | Events | • | ► × |
| VE Blogs & News Fe | eeds | \$ { = | * # 9 | ø | Filter t | hese messages <ctrl+shift+k></ctrl+shift+k> | | | P | 22 | Thu 4 Dec 2016 | • • cw 51 · |
| v 🖳 Local Folders | | ኑ 🛊 🖉 | Su | | | •• From | • | Date 29.4.2016, 42.42 | A 09 | 👘 New B | ivent | |
| 🔟 Trash | |) 12 ☆ 🔗 | inte | | | · Marcal - There are - | | 28.4.2016. 12:12 28.4.2016. 12:23 | | ✓ Today > Tomor | row | |
| Vision MailStore Export | rt | 2 6 | FV | | | · Martine - There are | | 28.4.2016. 12:56 | 5 | > Upcon | ning (5 day | ys) |
| Outlook Arch Sept Har | ive Folders | 요 - 스 | Reise | | | • 000000 - 00000000 | | 29.4.2016. 7:24 29.4.2016. 7:26 | | | | |
| ✓ Outlook P | Open in Net Open in Net | w <u>T</u> ab w Window | | EST: r | in contraction of | · Decision - Theory Man | | 29.4.2016. 9:18 | | | | |
| Sent Iten | Search Mes | sages | | | | · | | 29.4.2016. 9:21 |) | | | |
| | <u>N</u> ew Subfol Delete <u>R</u> ename | der | | | | | | | ~ | | | |
| | <u>C</u> ompact Mar <u>k</u> Folder | Read | | | | | | | | | | |
| | Favorite Fol Properties | der | | | | | | | | | | |
| | r for email a | ddresses | | | | | | | | | | |
| | | | | | | | | | | | | |
| () Thunderbird now | contains caler | daring fund | tionality by | integrating the Lightn | ing extension. | | | Learn more | | <u>D</u> isable | Kee | p × |
| <u>n</u> | | | | | | | | Unread: 0 | Total: | 3033 🖄 | Today Pa | ne 🗙 🖉 |



| Search parameters | | × |
|---|--------------|--------|
| Search 'Sent Items' | | |
| Search fields Select which fields should be searched | | |
| To From | CC | 🗌 Body |
| Needed # of occurrences : $1 \sim$ | | |
| Choose what should happen with the address | es | |
| Fill into an addressbook | | |
| Send using CC field | | |
| Send using BCC field | | |
| Choose a addressbook as a target for the four | nd addresses | |
| Select | | ~ |
| Personal Address Book | | |
| Collected Addresses | | |
| | | |
| FROM | OR | |
| | | |

Liste FROM i TO se nalaze spemljene u Address Book.



Published on sys.portal (https://sysportal.carnet.hr.)

| Address Book | | | | | - 0 | × |
|------------------------------|------------------------|---------------------------|-----------|---------------|------------|-----|
| <u>File Edit View T</u> ools | <u>H</u> elp | | | | | |
| O New Contact | ew List 🛛 🕕 Properties | 🖉 Write 🛛 🛇 Del | ete | Name or Email | | P |
| √ 🔲 All Address Books | Name | Email | Chat Name | Organization | Work Phone | C., |
| Personaless Book | 8 3 | | | | | ^ |
| FROM | ≗ a.⊨ | s.hr | | | | |
| 🔲 то | 8 al | c@r ki | | | | |
| Collecteddresses | 🔒 alesso | a@simet.hr | | | | |
| 10 | 🔒 admini | in@i. jetko | | | | |
| | 8 'A | @hot | | | | |
| | 8 ac | @fer | | | | |
| | 8 'A | dz_od@yah | | | | |
| | 8 1/2 | btf@gmail.c | aic | | | |
| | 🔒 ai=== | @simet.hr | | | | |
| | 8 A. | a@hgi_gs.hr | | | | |
| | ≗ a⊫ | a@simet.hr | | | | |
| | 8 'A | sa@ayr.hr | | | | |
| | 8 'A | c@ithi.hr | | | | |
| | 8 'A | @outlo | | | | |
| | 8 'A | =====1@hot | | | | |
| | 8 'A | meet mee 1@outl | | | | ~ |
| | | | | | | |

Odvojili smo e-mail adrese od ostalog sadržaja, tako da sad možemo manipulirati imenikom i prebacivati ga u druge e-mail klijente. Postoje i tu specifičnosti vezane za različite formate, ali tu problematiku obradit ćemo u <u>narednom nastavku</u> [4].

ned, 2017-02-19 10:17 - Goran Šljivić**Kuharice:** <u>Windows</u> [5] **Vote:** 0

No votes yet

Source URL: https://sysportal.carnet.hr./node/1721

Links

- [1] https://sysportal.carnet.hr/node/1720
- [2] http://www.softpedia.com/get/Internet/E-mail/Mail-Utilities/MailStore-Home-Portable.shtml
- [3] https://freeshell.de/~kaosmos/index-en.html
- [4] https://sysportal.carnet.hr/node/1722
- [5] https://sysportal.carnet.hr./taxonomy/term/18