


## Backup i migriranje klijenata elektroničke pošte 2.dio



Nastavljamo priču iz prošlog [članka](#) [1]. Za razliku od nekadašnjeg formata *mail* arhive, novi *.pst* format ima druga pravila pri prebacivanju u npr. *Thunderbird*. Sam *Thunderbird* klijent ne može prepoznati i uvesti arhivske *.pst Outlook* datoteke kao nekad *.dbx* zapis koji je koristio *Outlook Express*. To nam je ranije olakšavalo prebacivanje sa zastarjelog *Outlook Express* klijenta u npr. *Thunderbird*.



Radi toga moramo koristiti dodatni konverter. Pronašli smo [MailStore Home Portable](#) [2] softver. On nam jednostavnim odabirom *Archive E-mail --> Microsoft Outlook -->* dohvati arhivske *.pst* datoteke sa vanjskog diska i uveze kroz *Wizard* koji stvori *Outlook* profil.

17-11

MailStore Home 10 - MailStore Home

Archive

Archive E-mail

Quick Search Archive

Search

Start Page

My Archive

Search E-mail

Archive E-mail


Export E-mail

Recent Results

Administrative Tools

About MailStore Home

MailStore Home



## Archive Microsoft Outlook

### Settings

Please configure access to Microsoft Outlook.

☐ Archive E-mail Stored in your Local Outlook

Outlook Profile:

☒ Archive E-mail Stored in a PST File

File Name:



Password, if needed:

Cancel


< Back

Next >


Help




Nakon uvoza *archive.pst* i *Outlook.pst* imamo stvorene 2 arhive sa 2 pripadajuća profila.




Za slijedeći korak uvoza arhiva u *Thunderbird* obavezno je napraviti korisnički profil koji za testiranje bez e-mail accounta može biti *Newsgroups*. Bitno je da *Thunderbird* stvori korisnički direktorij. Koristili smo *Thunderbird* verzije 45.5.1.



Desnim klikom napravimo uvoz *Outlook* arhiva na *Thunderbird* klijent.



Uvezene poruke nalazimo u našem klijentu.



Za potrebe "rudarenja" e-mail adresa u obliku *Thunderbird* ekstenzije pronašli smo [EmailCrawler](#) [3] 5.1.2. Unosimo ga ručnim putem *Tools -> Add-ons-> Install Add-on From File.. -> emailcrawler-5.1.2.xpi* jer ga nema u standardnom *Get Add-Ons* sustavu.


Prije nego počnemo pretraživati e-mail adrese stvorimo 2 adresara po kriteriju "Od" i "Za". Imenujemo ih *FROM* i *TO*.

*File-> New -> Address Book.. -> New Address Book -> Address Book Name -> FROM*

*File-> New -> Address Book.. -> New Address Book -> Address Book Name -> TO*

Napokon možemo pristupiti prikupljanju adresa. Desnim klikom na ciljanu arhivu potražimo u ponudi opciju *Crawl folder for email addresses* te po odabranom kriteriju napravimo spremanje u traženi adresar.





Search parameters

Search 'Sent Items'

☒ Search subfolders

Search fields

Select which fields should be searched

☒ To ☐ From ☐ CC ☐ Body

Needed # of occurrences :

1

Choose what should happen with the addresses

☒ Fill into an addressbook  
☐ Send using CC field  
☐ Send using BCC field

Choose a addressbook as a target for the found addresses


Select...

Personal Address Book  
Collected Addresses  
TO  
FROM

OK

Cancel

Liste *FROM* i *TO* se nalaze spemljene u *Address Book*.



Odvojili smo e-mail adrese od ostalog sadržaja, tako da sad možemo manipulirati imenikom i prebacivati ga u druge e-mail klijente. Postoje i tu specifičnosti vezane za različite formate, ali tu problematiku obradit ćemo u [narednom nastavku](#) [4].

ned, 2017-02-19 10:17 - Goran Šljivić **Kuharice:** [Windows](#) [5]

**Vote:** 0

No votes yet

**Source URL:** <https://sysportal.carnet.hr/node/1721>

### Links

[1] <https://sysportal.carnet.hr/node/1720>

[2] <http://www.softpedia.com/get/Internet/E-mail/Mail-Utilities/MailStore-Home-Portable.shtml>

[3] <https://freeshell.de/~kaosmos/index-en.html>

[4] <https://sysportal.carnet.hr/node/1722>

[5] <https://sysportal.carnet.hr/taxonomy/term/18>