

Poruka "pam_radius_auth: Failed looking up IP address for RADIUS server other-server"



Ukoliko rabite paket `pam_radius_auth` za autentikaciju korisnika preko radiusa, možda ste u logovima ugledali sljedeću poruku (ili vam ju je proslijedio OSSEC):

```
From: OSSEC HIDS <ossecm@server.domena.hr>
Date: Tue, 24 Sep 2013 18:15:24 +0200
Subject: OSSEC Notification - server - Alert level 2
Message-Id: <20130924151528.7e19348321@server.domena.hr>
```

```
OSSEC HIDS Notification.
2013 Sep 24 18:15:13
```

```
Received From: server ->/var/log/auth.log
Rule: 1002 fired (level 2) -> "Unknown problem somewhere in the system."
Portion of the log(s):
```

```
Sep 24 18:15:11 server saslauthd[1008]: pam_radius_auth: Failed looking up IP
address for RADIUS server other-server (errcode=9)
```

Nadamo se da niste pomislili kako ovakve poruke treba ignorirati, ili još bolje, konfigurirati OSSEC da vam ih uopće ne šalje (upute su, naravno, tu *negdje* na Portalu). Ne, moramo problem riješiti.

Iz poruke se može zaključiti da se iz nekog razloga ne može saznati adresa za poslužitelj "**other-server**". Problem u DNS-u? Možda, ali koji je to poslužitelj "other-server"? Konfiguracijska datoteka za `pam_radius_auth` je **/etc/pam_radius_auth.conf**, pa pogledajmo prvo tamo. Ukoliko ste u editoru potražili niz "other-server", odmah ste mogli pronaći ovo:

```
# server[:port] shared_secret      timeout (s)
#127.0.0.1      secret                1
127.0.0.1      tajnazaporka        1
other-server   other-secret        3
```

Dakle, netko je (vi u brzini, neki vaš prethodnik ili zamjena) u konfiguraciji zaboravio zakomentirati **redak s primjerom** (iako se sjetio zakomentirati prvi). Sada je jasno otkuda "other-server" i zašto to neće nikada proraditi. Navedeni server nije konfiguriran niti će ikada biti pod tim imenom, te ga jednostavno treba zakomentirati:

```
# server[:port] shared_secret      timeout (s)
#127.0.0.1      secret                1
127.0.0.1      tajnazaporka        1
#other-server   other-secret        3
```

Ovo je dovoljno da se problem riješi, i pouka kako treba pažljivo pregledati svaku učinjenu promjenu prije izlaska iz editora. Jedan apostrof ili zaboravljeni znak komentara može prouzročiti poteškoće ili

prekide u radu servisa. U ovom slučaju radilo se "samo" o dodatnoj pauzi kod prijave na bilo koji servis. No, i ovo je dovoljno da se javljaju korisnici i tuže da im je "server spor" i slično.

- [Logirajte](#) [1] se za dodavanje komentara

sri, 2013-09-25 11:57 - Željko BorošKuharice: [Linux](#) [2]

Kategorije: [Servisi](#) [3]

Vote: 5

Vaša ocjena: Nema Average: 5 (1 vote)

Source URL: <https://sysportal.carnet.hr/node/1323>

Links

[1] <https://sysportal.carnet.hr/sysportallogin>

[2] <https://sysportal.carnet.hr/taxonomy/term/17>

[3] <https://sysportal.carnet.hr/taxonomy/term/28>