

## Naredbe za koje (možda) niste znali 21: multitail



Da logove na poslužitelju treba redovito pregledavati, zna svaki sistem-inženjer. Jednostavno, bez logova bi posao sistem-inženjera bio nemoguć. Iako imamo automatizirane programe (tipa logwatch, fail2ban ili OSSEC) koji nam pomažu u detekciji potencijalnih problema (poglavito sigurnosnih), neophodno je ponekad logove pogledati "uživo". Ovdje se možemo poslužiti programima tail i less, koji mogu pratiti logove onako kako se *pune*, ali imamo odličan alat za praćenje više logova odjednom - **multitail**.

Kao i programčić "[nethogs](#) [1]", kojeg smo opisali u prethodnom članku u ovoj seriji, tako i multitail slijedi jednostavnu logiku: raditi jednu stvar dobro, i ne zbunjivati korisnika bespotrebnim opcijama koje u većini slučajeva neće nikada rabiti. Pokretanje programa je standardno, samo treba nakon imena naredbe navesti logove koje želimo pratiti:

```
# multitail /var/log/mail.log /var/log/daemon.log /var/log/apache2/access.log
```

Multitail radi preko vrlo poznatog *ncurses* sučelja za tekstualne terminale, što znači da ima sustav prozora koji pokušava postići dio funkcionalnosti klasičnih grafičkih GUI-ja. Nakon pokretanja, bit će prikazana tri prozora kao na slici:

```
relay=local, delay=0.04, delays=0.01/0.01/0/0.02, dsn=2.0.0, status=sent (deliver to file: /tmp/.rewrite2.log)
Sep 1 13:40:24 postfix/qmgr[28813]: 685524B9BA: removed
Sep 1 13:40:25 dovecot: pop3-login: Login: user=<          >, method=PLAIN, rip=161.53.12.111, lip=161.53.30.100
Sep 1 13:40:26 dovecot: POP3(          ): Disconnected: Logged out top=0/0, retr=1/6477, del=0/841, size=28433625
00] /var/log/mail.log F1/<CTRL>+<h>: help      358KB - 2011/09/01 13:41:01
:1441(get_peer_addr_internal)
Sep 1 13:28:10 smbd[31177]: getpeername failed. Error was Transport endpoint is not connected
Sep 1 13:28:10 smbd[31177]: read_fd_with_timeout: client 0.0.0.0 read error = Connection reset by peer.
Sep 1 13:40:13 named[13268]: client 161.53.30.108#55203: update 'os.carnet.hr/IN' denied
01] /var/log/daemon.log F1/<CTRL>+<h>: help      361KB - 2011/09/01 13:41:01
6 "--" "Yeti/1.0 (NHN Corp.; http://help.naver.com/robots/)"
61.247.204.38 -- [01/Sep/2011:04:10:44 +0200] "GET / HTTP/1.1" 302 496 "--" "Yeti/1.0 (NHN Corp.; http://help.naver.com/robots/)"
208.91.113.20 -- [01/Sep/2011:07:58:21 +0200] "GET / HTTP/1.1" 302 496 "--" "Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.10) Gecko/20070227 Red Hat/1.5.0.10-0.1.el4 Firefox/1.5.0.10"
02] /var/log/apache2/access.log F1/<CTRL>+<h>: help      2KB - 2011/09/01 13:41:01
```

U svakom od tri prozora bit će prikazano nekoliko zadnjih redova odabralih log datoteka. Multitail pokušava biti uslužan, pa može obojati određene dijelove logova drugom bojom, primjerice datum je označen plavom bojom, naizmjenično svjetlijom i tamnjom nijansom. U svakom trenutku možete dobiti pomoći ukoliko pritisnete kombinaciju tipki **<CTRL+h>**. U prozoru pomoći možete pregledati

sve dostupne naredbe sa standardnim **Page Up** i **Page Down** tipkama, a prozor gasite sa **<CTRL+g>**.

Ukoliko u nekom logu vidite nešto vrijedno pažnje, možete privremeno ugasiti sve prozore osim odabranog. Ovo možete napraviti pomoću tipke "**u**", nakon čega odabirete željeni prozor:

```
p=161.53. . 1, lip=161.53. .1
Sep 1 13:45:45 dovecot: POP3(      ) : Disconnected: Logged out top=0/0, re
tr=2/4434, del=0/843, size=28438025
Sep 1 13:46:31 postfix/smtpd[31395]: connect from unknown[218. .42.7]
Sep 1 13:46:31 po postfix/smtpd[31395]: warning: non-SMTP command from unknown[
218. .42.7]: GET http://www.sciencedirect.com/ HTTP/1.1
Sep 1 13:46:31 postfix/smtpd[31395]: disconnect from unknown[218. .42.7]
00] /var/log/mail.log 376KB - 2011/09/01 13:46:39
:1441(get_peer_addr_inte
Sep 1 13:28:10 smbd[ Select window to keep open
nt is not connected 00 /var/log/mail.log r was Transport endpoi
Sep 1 13:28:10 smbd[ 01 /var/log/daemon.log client 0.0.0.0 read erro
r = Connection reset by 02 /var/log/apache2/access.
Sep 1 13:40:13 named[ Press ^G to abort 203: update ' .carnet.h
r/IN' denied
01] /var/log/daemon.log 361KB - 2011/09/01 13:46:39
6 "--" "Yeti/1.0 (NHN Corp.; http://help.naver.com/robots/)"
61.247.204.38 - - [01/Sep/2011:04:10:44 +0200] "GET / HTTP/1.1" 302 496 "--" "Yet
i/1.0 (NHN Corp.; http://help.naver.com/robots/)"
208.91.113.20 - - [01/Sep/2011:07:58:21 +0200] "GET / HTTP/1.1" 302 496 "--" "Moz
illa/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.10) Gecko/20070227 Red Hat/1.5.0.1
0-0.1.el4 Firefox/1.5.0.10"
```

Nakon što završite, možete se vratiti u prethodni prikaz svih prozora s tipkom "**U**" (naravno, ovdje je riječ o kombinaciji **<Shift+u>**). Vizualni pregled očima nije uvijek i najbrži, zato multitail posjeduje funkciju traženja, koju možete pozvati s **"/"**. Slično ovoj, sa kombinacijom **<Shift+>**, možete dobiti **highlite** funkciju [1], kao na slici:

```
Sep 1 13:46:55 postfix/qmgr[28813]: A316F4B9BA: removed
Sep 1 13:49:06 postfix/anvil[31181]: statistics: max connection rate 2/60s f
or (smtp:161.53. .6) at Sep 1 13:40:22
Sep 1 13:49:06 postfix/anvil[31181]: statistics: max connection count 1 for
(smtp:161.53. .6) at Sep 1 13:40:20
Sep 1 13:49:06 postfix/anvil[31181]: statistics: max cache size 2 at Sep 1
13:42:49
00] /var/log/mail.log 381KB - 2011/09/01 13:49:30
:1441(get_peer_addr_internal)
Sep 1 13:28:10 Global highlight s Transport endpoi
nt is not connecte
Sep 1 13:28:10 error 0.0.0.0 read erro
r = Connection res
Sep 1 13:40:13 [X] case insensitive (press TAB) pdate ' .carnet.h
r/IN' denied
01] /var/log/daemon.log 361KB - 2011/09/01 13:49:30
6 "--" "Yeti/1.0 (NHN Corp.; http://help.naver.com/robots/)"
61.247.204.38 - - [01/Sep/2011:04:10:44 +0200] "GET / HTTP/1.1" 302 496 "--" "Yet
i/1.0 (NHN Corp.; http://help.naver.com/robots/)"
208.91.113.20 - - [01/Sep/2011:07:58:21 +0200] "GET / HTTP/1.1" 302 496 "--" "Moz
illa/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.10) Gecko/20070227 Red Hat/1.5.0.1
0-0.1.el4 Firefox/1.5.0.10"
```

Mi smo potražili najzanimljiviju riječ koju možemo naći u logovima: **error**. Nakon što multitail

pronađe traženu riječ, označit će cijeli redak u kojemu je pronašao traženu riječ:

```
Sep  1 13:46:55  postfix/qmgr[28813]: A316F4B9BA: removed
Sep  1 13:49:06  postfix/anvil[31181]: statistics: max connection rate 2/60s for (smtp:161.53.  .6) at Sep  1 13:40:22
Sep  1 13:49:06  postfix/anvil[31181]: statistics: max connection count 1 for (smtp:161.53.  .6) at Sep  1 13:40:20
Sep  1 13:49:06  postfix/anvil[31181]: statistics: max cache size 2 at Sep  1 13:42:49
00] /var/log/mail.log                                         381KB - 2011/09/01 13:49:34
:1441(get peer addr internal)
Sep  1 13:28:10  smbd[31177]: getpeername failed. Error was Transport endpoint is not connected
Sep  1 13:28:10  smbd[31177]: read_fd_with_timeout: client 0.0.0.0 read error = Connection reset by peer.
Sep  1 13:40:13  named[13268]: client 161.53.  .108#55203: update '  carnet.hr/IN' denied
01] /var/log/daemon.log                                         361KB - 2011/09/01 13:49:34
6 "--" "Yeti/1.0 (NHN Corp.; http://help.naver.com/robots/)"
61.247.204.38 - - [01/Sep/2011:04:10:44 +0200] "GET / HTTP/1.1" 302 496 "--" "Yeti/1.0 (NHN Corp.; http://help.naver.com/robots/)"
208.91.113.20 - - [01/Sep/2011:07:58:21 +0200] "GET / HTTP/1.1" 302 496 "--" "Mozilla/5.0 (X11; U; Linux i686; en-US; rv:1.8.0.10) Gecko/20070227 Red Hat/1.5.0.10-0.1.el4 Firefox/1.5.0.10"
```

Označavanje redaka ostaje i ako prijeđemo u način rada s jednim prozorom.

Moramo priznati da smo vas malo prevarili, jer multitail nema samo dvije-tri, nego preko dvadeset opcija. Tako, multitail može pratiti izlaz naredbi (STDOUT), može izvršavati proizvoljne naredbe ukoliko se pojavi određeni string (točnije *regex*) unutar log datoteke ili u izlazu naredbe, a očekivano podržava prilagodbu boja i sučelja. Smatramo da su za ove naprednije stvari primjerjeniji već spominjani fail2ban, a pogotovo OSSEC, pa nećemo ulaziti dublje u ove mogućnosti multitailla.

[1] na tipkovnici s HR rasporedom tipaka znak / se dobija s kombinacijom **<Shift+7>**, dakle već rabimo Shift. Kako onda dobiti kombinaciju tipaka **<Shift+/?>**? Postoje (barem) dva načina... odgovorite u komentarima.

- [Logirajte](#) [2] se za dodavanje komentara

pet, 2011-09-02 14:55 - Željko Boroš **Kuharice**: [Linux](#) [3]

**Kategorije:** [Software](#) [4]

**Vote:** 4.5

Vaša ocjena: Nema Average: 4.5 (2 votes)

**Source URL:** https://sysportal.carnet.hr/node/877

**Links**

- [1] <https://sysportal.carnet.hr/node/862>
- [2] <https://sysportal.carnet.hr/sysportallogin>
- [3] <https://sysportal.carnet.hr/taxonomy/term/17>
- [4] <https://sysportal.carnet.hr/taxonomy/term/25>